2017 Nissan GT-R NISMO SpecificationsSpecifications are based on latest product information available at the time of printing

Mechanical

Engine	
Designation	VR38DETT
Cam configuration	DOHC
Orientation	Longitudinal
Cylinders / configuration	V6
Block / head composition	Aluminum/Aluminum
Displacement (liters)	3.8
Horsepower	600 @ 6,800 RPM*
Torque lb-ft	481 lb-ft @ 3,600 - 5,600 RPM*
Bore & stroke (mm)	95.5 x 88.4 (Plasma sprayed bore)
Compression ratio (:1)	9.0
Maximum engine speed	7,100 RPM
Fuel delivery system	Sequential multi-point electronic fuel injection
Valvetrain	4 valves per cylinder, CVTCS
Turbocharger	High-capacity IHI SpecV Twin-Turbo system
Engine mounts	2 liquid-filled, front; 1 solid, rear
Recommended fuel	Premium unleaded, 93 octane
Emissions system	3-way catalyst and secondary air injection
	system
Emission certification level	LEV2/ULEV (50 state)
Exhaust	Dual system, 4 outlets (2 each side)
	Titanium exhaust with Exhaust Sound Control

Electrical	
Ignition system	Electronic, Nissan Direct Ignition System
	(NDIS)
Starter	12V
Alternator	150 Amp.
Battery	12V - 65B24(S)-HR/52 Ah

Transmission and Drive System	
Drive configuration	Mid-mounted front engine /
	rear transaxle ATTESA E-TS all-wheel drive
Transmission	Dual clutch sequential 6-speed rear transaxle,
	magnesium paddle shifters, gear pre-selection
Gear ratio	
1 st	4.056
2 nd	2.301
3 rd	1.595
4 th	1.248
5 th	1.001
6 th	0.796
Reverse	3.383
Final drive ratio	Front: 2.937, Rear: 3.700
Driveshafts	Carbon composite

Manual/Automatic modes	S
Configurable Shift Control	S
Downshift Rev Matching (DRM)	S
1.5-way mechanical limited slip differential	S
Traction Control System with Limited Slip	S
Vehicle Dynamic Control (VDC)	S
Snow-mode function	S
Hill Start Assist (HSA)	S
Yaw Rate Feedback Control	S

Brakes	
Front Type	Brembo [®] six piston monoblock calipers, full-
	floating, vented and drilled rotors
Rotor size diameter and thickness (in.)	15.35 x 1.28
Rear Type	Brembo [®] four piston monoblock calipers, full-
	floating, vented and drilled rotors
Rotor size diameter and thickness (in.)	15.0 x 1.18
Brake control	Power-assisted (vacuum)
Anti-lock Brake System (ABS)	S
Number of wheels	4
Number of channels	4
Number of sensors	4
Electronic Brake force Distribution (EBD)	S
Brake Assist	S
Parking brake	Hand-operated
Brake cooling air guide (front and rear)	S

Steering	
Type	Vehicle speed-sensitive power rack-and-pinion,
	aluminum steering rack, four-point mounting,
	with stiff insulators
Overall ratio	15:1
Turns (lock to lock)	2.4
Turning diameter (ft.)	36.6
Steering wheel	3-spoke leather-wrapped with air bag, manual
	tilt and telescoping, lap timer switch
NISMO Dark Gray steering wheel with red	S
stripe and Alcantara® accents	
Steering wheel ASCD, audio and Bluetooth®	S
switches	

Suspension	
NISMO-tuned suspension with unique shock	S
absorber settings and high spring rates	
Front	Independent double wishbone aluminum,
	integral tube-frame structure, six-point
	mounting
Rear	Independent multi-link aluminum suspension,
	integral tube-frame structure, six-point
	mounting, aluminum upper/lower links
	(spherical bearing design)
Large-diameter (34 mm) hollow front	S
stabilizer bar	
Large-diameter (17.3 mm) hollow rear	S
stabilizer bar	
Bilstein [®] DampTronic mono-tube shock	S
absorbers, computer controlled, 3-position	
driver adjustable	
Progressive rate (non-linear) springs	S
High-accuracy alignment, fully adjustable	S

Body / Chassis	
Type	Unibody
Materials (primary)	Steel, carbon fiber, die-cast aluminum
Additional adhesive bonding	S
Platform	Premium-Midship (PM)

Exterior

Wheels	& Tires	
Wheels	F: 20x10.0 inches, R: 20x10.5 in.	S
	Lightweight 6-spoke RAYS [®]	S
	aluminum-alloy forged, black finish	
Tires	Dunlop [®] Sports Maxx GT600 ultra	S
	high performance run-flat tires F:	
	255/40ZRF20, R: 285/35ZRF20	
	NISMO-specific compound	
Tire Pres	sure Monitoring System (TPMS),	S
pressure	and position shown on multi-	
function	meter	

Lights		
Headlights	4-bulb LED	S
	Integrated LED daytime	S
	running lights	
	Auto on/off	S
Taillights	"GT-R" 4-ring LED	S
	Spoiler-mounted LED center	S
	high-mount stop lamp	

Exterior Features	
NISMO aerodynamic package with unique	S
carbon fiber front and rear bumpers, Dark	
Gray outside mirrors with red stripe, carbon	
fiber side sill covers	
Functional rear underbody diffuser	Carbon fiber
Dry carbon fiber rear spoiler**	S
Front spoiler with carbon fiber air duct	S
Carbon fiber trunk lid	S
Front "aero-blade" fenders with vents	S
Aerodynamic front underbody cover	S
Integrated, flush mounted aluminum door	S
handles	
UV-filtering front and rear side glass,	S
laminated UV-reducing windshield	
Folding side mirrors, power/power folding,	S
heated	
Revised front and rear fascias	S
Body-color bumpers	S
Dark Gray grille	S
Aerodynamic flat-blade windshield wipers,	S
variable intermittent, speed-sensitive	
Anti-chip paint process	S

Interior

Seating	
Capacity	4 passengers
Front Seat Type	Bucket, sport style, with accommodation for 4-
	point safety harness
NISMO-exclusive Recaro® leather-appointed	S
front seats with Alcantara® accents, red	
stitching	
Red seat backs, shift knob, door grip	S
Leather/synthetic suede front seat	S
appointments	
Heated seats	S
Driver's seat 8-way power	S
Front Passenger's seat 4-way power	S

Audio/Navigation	
Bose [®] audio system with 11 speakers (9	S
speakers with 2 subwoofers in rear center	
armrest area) mounted in aluminum die-cast	
panels, AM/FM/CD with MP3/WMA playback	
Bose [®] Active Noise Cancelation (ANC)	S
Vehicle speed sensitive auto volume control	S
DVD video playback	S
SiriusXM [®] Satellite Radio (SiriusXM [®]	S
subscription required, sold separately)	

NissanConnect SM with Navigation, Mobile Apps and Services, 8.0-inch color display with multi-touch control, Nissan Voice Recognition for navigation and audio, HD Radio, SiriusXM [®] Travel Link™ (SiriusXM [®]	S
subscription required, sold separately)	
NissanConnect Mobile Apps	S
NissanConnect Services Powered by	
SiriusXM [®] (SiriusXM [®] subscription required,	
sold separately)	
Bluetooth [®] Hands-free phone system	S
Streaming Audio via Bluetooth®	S
USB iPod [®] interface	S
Steering-wheel audio controls with illumination	S

Instrumentation	
Meters/gauges	S
Speedometer	
Tachometer	
Coolant temperature	
Fuel level	
LCD dual trip odometer	
Red-accented tachometer	S
Multi-Function Display system, (11 pages of	S
information) with playback feature	
Turbo boost	
Water and engine oil pressure	
Transmission oil temperature	
Front to rear drive distribution	
Steering position	
Brake and accelerator position	
Gearshift mapping for optimal economy	

Convenience Features	
RearView Monitor	S
Cruise control (ASCD)	
Power windows – driver and passenger one-	
touch up/down	
Power door locks	
Remote keyless entry system	
Intelligent key system	
Cupholders – 3	
12-volt outlets – 2	
Passenger assist grip	
Sunvisors w/ vanity mirrors and lamps	
Front seat knee pads	
Inside rear view mirror – auto-dimming	
HomeLink [®] Universal Transceiver (UGDO)	
Map light, door step lamp	
Center console storage area	
Automatic climate control, dual zone	

3-position setup switches for suspension,	
transmission and VDC	
Console-mounted push-button start	
Aluminum interior trim	
Soft padding on instrument panel and doors	
Carbon fiber interior trim	
Active Sound Enhancement (ASE)	

Safety and Security

Passenger Restraint System	
Nissan Advanced Air Bag System (AABS)	Driver and front passenger air bags with dual- stage inflation, seat belt sensors and occupant classification sensor
Driver and front passenger side impact supplemental air bags and roof-mounted curtain side-impact supplemental air bags for front seat occupant head protection	S
Seat belts, front and rear	3-point (ALR/ELR for passengers, ELR for driver)
Front seatbelts w/pre-tensioners and load limiters	S
Power window lockout button	S
Rear seat top tether anchors	S

Impact Safety	
Zone Body Construction with front and rear	S
crumple zones	
Energy-absorbing steering column	
Hood buckling creases	
Knee bolsters	
High-strength side door guard beams	

Security	
Tamper proof door lock key cylinder	S
Vehicle Security System (VSS)	
Immobilizer	

Dimensions

Exterior (inches)		
Wheelbase		109.4
Overall length		184.6
Overall width		74.6
Overall height		53.9
Track width	Front/Rear	63.0/63.0
Coefficient of drag (Cd)		0.26

Interior (inches)	Front	Rear
Head room	38.1	33.5
Leg room	44.6	26.4
Hip room	54.7	44.9
Shoulder room	54.3	50.0

Weights		
Curb weight (pounds)	Front	2,138
	Rear	1,773
	Total	3,911
Weight distribution (%) Front/rear		54/46
GVWR		4,727

Capacities	
Fuel tank (gallons)	19.5
Engine oil (quarts)	6.5
Engine coolant w/ reservoir (quarts)	11.9

Volume (cubic feet)	
Passenger compartment	79.0
Cargo	8.8
Total	87.8

EPA Fuel Economy	
(Actual mileage may vary)	
City	16
Highway	22
Combined	18
Classification	Subcompact

S- Standard O- Optional

7/16

^{*93} octane gasoline required **Dry carbon fiber requires specific maintenance. Please see Owner's Manual for details.